KNOX-BOX®

Rapid Entry System

Helping the Fire Department Protect Your Property



Knox-Box® 3200 Series



Knox-Vault® 4100 Series




Knox-Vault® 4400 Series



Knox Elevator Lobby Box



Knox Cabinets



KNOX-BOX® access

provides faster emergency

response without

forced entry damage.



FDC Protection Products



Padlocks, Key Switches



Master Key Retention



Electrical Shutdown



Knox Residential Products



LISTED EQUIPMENT

Knox-Vault 4400 Series

The Complete UL Listed, One-Key Fire Department Emergency Access System.





Surface Mount

3200 Series KNOX-BOX®

This leading high security, heavy-duty key box is used for most commercial applications including businesses, schools, government and public buildings, community associations and apartment complexes.

KNOX-BOX® - 3200 SERIES

Dimensions: Surface - Lift-Off Door 5"H x 4"W x 3-3/4"D

Hinged Door 4"H x 5"W x 3-3/4"D

Recessed - 7"H x 7"W (flange only)

Weight: Approx. 10 lbs.

Options: • Hinged or lift-off door models.

• UL listed alarm tamper switches that connect to

building's security system.

Recessed Mounting Kit for new concrete or masonry construction.

Finish: Knox-Coat® proprietary coating system with 6 times longer protection

than standard powder coat.

Colors: Dark bronze, black or aluminum.



Recessed Mount



Hinged Door Surface Mount



Surface Mount



Interior Closeup

SECURITY

ULISTED

EQUIPMENT

NEW 4100 Series KNOX-VAULT®

A new Knox-Box that's for those applications where a 3200 Series is too small yet the 4400 Series is too large. In addition to keys and access cards, the 4100 also holds the Knox FDC Keywrench allowing departments to keep a keywrench on site.

KNOX-VAULT® - 4100 SERIES

Dimensions: Surface - 6"H x 6"W x 4-1/2"D

Recessed - 8-1/2"H x 8-1/2"W(flange only) x 4-1/2"D

Weight: Approx. 19 lbs.

Options: • UL listed alarm tamper switches that connect to

building's security system.

Recessed Mounting Kit for new concrete or masonry

construction.

Access card/Keywrench holder

· Dual lock options.

Finish: Knox-Coat® proprietary coating system with 6 times longer protection

than standard powder coat.

Colors: Dark bronze, black or aluminum.



Recessed Mount



Surface Mount

Recessed Mount

4400 Series KNOX-VAULT®

Key vaults protect building keys, access cards and floor plans for larger businesses, industrial properties, public buildings and universities.

KNOX-VAULT® - 4400 SERIES

Dimensions: Surface - 7"H x 7"W x 5"D

Recessed - 9-1/2"H x 9-1/2"W(flange only) x 5"D

Weight: Approx. 29 lbs.

Options:
• UL listed alarm tamper switches that connect to building's security system.

Recessed Mounting Kit for new concrete or masonry construction.

· Dual lock options.

Finish: Knox-Coat® proprietary coating system with 6 times

longer protection than standard powder coat.

Colors: Dark bronze, black or aluminum.



Dual Lock Option Surface Mount



Recessed Mount



Fire departments across the country use the Knox® System to prevent costly forced entry damage while protecting lives and property. Knox key boxes, vaults and cabinets hold building entrance keys, electronic access cards and vital emergency information. Knox key switches and padlocks provide fire department access through property gates.

As the property owner, you purchase a KNOX-BOX® device then mount it near your building entrance or property gate according to fire department guidelines. Firefighters use a unique high security Knox® Master Key to open KNOX-BOX devices in their jurisdiction.



KNOX® CABINET

Knox® cabinets provide onsite, high security storage for MSDS, Haz-Mat data, pre-fire plans and key storage for industrial and commercial sites and government installations.

KNOX® CABINET - 1300 SERIES

Dimensions: 18"H x 14-1/2"W x 5" or 7"D

Weight: Approx. 65 lbs.

Options: • UL listed alarm tamper switches for connection to building's

security system.

Single lock standard, dual lock and other lock options available.40 hook key back panel and 78 hook swing panel available.

Total capacity 231 keys with expansion panels.

• Model 1201 Weather Housing should be used for unprotected

outdoor installations.

Finish: Knox-Coat® proprietary coating system.

Color: Light grey.









KNOX® ELEVATOR/LOBBY KEY BOX

The Knox 1400 Elevator Key Box is designed specifically for the elevator lobby. This new box will hold up to 18 keys and to 2 elevator door access tools. Optional expansion panel available for additional key storage.

KNOX® ELEVATOR/LOBBY KEY BOX - 1400 SERIES

Dimensions: 10-1/2"H x 7-1/2"W x 2"D

Weight: 10 lbs

Options: Alarm tamper switch; Expansion key panel **Finish:** Knox-Coat® proprietary coating system.

Color: Deep Red powder coat with "Fire Dept Use Only" banner.

Dark Bronze and Aluminum colors available with or without the

"Fire Department Use Only" banner.









COMING SOON

KNOX® ELECTRICAL SHUTDOWN SWITCH

The 4500 remote electrical shutdown box houses an electrical service disconnect switch that is designed to operate the building's shunt trip switch which will disconnect all external electrical power to the building. The device can also be wired to shutdown electrical equipment and systems such as generators, photovoltaic/solar powered systems and telecommunications equipment.

KNOX® ELECTRICAL SHUTDOWN - 4500 SERIES

Dimensions: Surface: 7"H x 7"W x 7-1/4"D

Recessed: 9-1/2"H x 9-1/2"W Flange

Weight: 31 lbs

Options: Alarm tamper switch; Dual lock options

Finish: Knox-Coat® proprietary coating system with 6 times longer

protection than standard powder coat.

Color: Red, Black, Aluminum, Dark Bronze

For contractor specs or custom items, contact factory at 800-552-5669.



KNOX® LOCKING FDC PRODUCTS

Knox locking FDC products protect both the intake and discharge sides of water based fire protection systems from vandalism and prevent excessive service calls. The locking FDC plug with Swivel-Guard™ covers the entire swivel connection making the set screws inaccessible and minimizing the theft of the brass connection.

For Order Information, **Please Call Your** Fire Department or Visit www.knoxbox.com

KNOX® FDC PLUG - 3000 SERIES

Dimensions: 1-1/2" and 2-1/2" male plug.

Weight: Approx. 3 lbs.

Properties: Solid stainless steel with

stainless front cover

Bright stainless or chrome-like stainless

Option: Swivel-Guard™

KNOX® StorzGuard®

Finish:

Dimensions: 4" & 5" Storz connections

Weight:

Properties: Hard-anodized aluminum

KNOX® SecureCap®

Dimensions: 2-1/2" female cap

Weight:

Properties: Stainless steel exterior with

solid brass threads





Lift-off Door Surface Mount



KNOX® RESIDENTIAL

The residential key box is used for fire and medical emergencies on single family homes and apartment complexes. For residential use only, it holds a maximum of two keys. It can be mounted permanently near the door or directly on the door or if the key box is needed only for a short-term illness, it is available with a temporary door hanger.

KNOX® RESIDENTIAL - 1650 SERIES

Dimensions: Lift-Off 5"H x 4"W x 2-3/4"D. Hinged 4"H x 5"W x 2-3/4"D.

Recessed 7"H x 7"W (flange only). Door hanger model has door bracket designed

to fit over maximum 1-7/8" thick door.

Weight: Approx. 7 lbs.

Options: Hinged or lift-off door models.

Finish: Knox-Coat® proprietary coating system with 6 times longer protection than standard

powder coat.

Color: Dark bronze, black or aluminum.



Hinged Door with Temporary Door Hanger



3772 Shrouded All Weather Use

3771 Interior Use



All Weather Use



KNOX® PADLOCK

Knox® padlocks secure equipment lockers, restricted utility areas and fire access gates.

KNOX® ALL WEATHER SHROUDED PADLOCK - Model 3772 KNOX® ALL WEATHER PADLOCK - Model 3770

KNOX® INTERIOR LIGHT DUTY PADLOCK - Model 3771



Key Switch / Heavy Stainless Cover

KNOX® KEY SWITCH

Excellent gate override for gated communities, apartment complexes, parking garages, pedestrian gates, emergency machinery shutdown and industrial gated areas.

KNOX® KEY SWITCH - 3500 SERIES

Options: Momentary switch available. For custom switch applications, consult factory.



